Maryland HA 421 .A35 1956-64 folio



Maryland Room
Maryland Library
Usircaity of Maryland Library
College Park. Md.

MARYLAND, 1963 PROVISIONAL VITAL STATISTICS TABLES.

areas are subject to substantial revision rates for some areas are subject to current and interwhen the final report, which includes more data and interstate corrections for non-resident births and deaths, is brepared. The final report will be available about Only births Numbers and Preliminary. Based on calendar year figures. and deaths recorded in Maryland are included. prepared. The September, 1964.

Division of Statistical Research and Records Maryland State Department of Health 301 W. Preston Street Baltimore 1, Maryland January 30, 1964 N 19T EIRCOLAIK 

Maryland 1983

TABLE 1. DEATHS FOR SELECTED CAUSES BY RACE, MARYLAND, 1963 AND 1962\*

TABLE 1. DEATHS FO	,	1707	AND 190						
	Во	th Races	3		White			Nonwhite	
CAUSE OF DEATH (7th Rev. International List No.)	1963	1962	Change	1963	1962	Change	1963	1962	Change
All Causes	30,156	28,208	+1948	24,089	22,628	+1461	6,067	5,580	+487
Diseases of the heart (400-443) Malignant neoplasms (140-205) Vascular lesions of central	12,635	11,903 4,584	+ 732 + 232	10,589	10,031 3,838	+ 558 + 159	2,046 819	1,872 746	+174 + 73
nervous system (330-334) All accidents (800-962) Motor vehicle (810-835)	2,374 1,467 587	2,217 1,414 594	+ 157 + 53 - 7	1,893 1,107 428	1,777 1,068 453	+ 116 + 39 - 25	481 360 159	440 346 141	+ 41 + 14 + 18
Certain diseases of early infancy (760-776) Influenza and pneumonia (480-493) Diabetes mellitus (260) Arteriosclerosis (450)	1,173 1,093 620 527	1,201 811 578 499	- 28 + 282 + 42 + 28	740 832 487 467	744 578 449 449	- 4 + 254 + 38 + 18	433 261 133 60	457 233 129 50	- 24 + 28 + 4 + 10
Congenital malformations (750-759) Cirrhosis of the liver (581) Suicide (970-979) Tuberculosis (001-019)	398 397 360 240	378 352 308 234	+ 20 + 45 + 52 + 6	297 305 335 146	309 278 280 143	- 12 + 27 + 55 + 3	101 92 25 94	69 74 28 91	+ 32 + 18 - 3 + 3
Homicide (980-984) Nephritis and nephrosis (590-594) Syphilis (020-029) Poliomyelitis (080)	200 156 57	178 196 56	+ 22 - 40 + 1	65 93 21	63 135 30	+ 2 - 42 - 9	135 63 36	115 61 26 -	+ 20 + 2 + 10

<sup>\*</sup> The preliminary figures refer to deaths which occurred in Maryland, except that deaths of Washington, D. C. residents in the Glenn Dale Tuberculosis Hospital have been deducted.



TABLE 2. DEATH RATES FOR SELECTED CAUSES BY RACE, MARYLAND, 1963 AND 1962\*

TABLE 2. DEATH RATES	TOR BBBB	OIDD OR	0000 01 1	1	1				
	E	oth Rac	es	1	White			Nonwhit	е
CAUSE OF DEATH (7th Rev. International List No.)	1963	1962	Percent change	1963	1962	Percent change	1963	1962	Percent change
All Causes	9.1	8.7	+ 4.6	8.7	8.4	+ 3.6	10.8	10.2	+ 5.9
Diseases of the heart (400-443) Malignant neoplasms (140-205) Vascular lesions of central	381.1 145.3	365.7 140.8	+ 4.2 + 3.2	384.5 145.2	370.2 141.6	+ 3.9 + 2.5	364 <b>.1</b> 145 <b>.</b> 7	343.0 136.7	+ 6.2 + 6.6
nervous system (330-334) All accidents (800-962) Motor vehicle (810-835)	71.6 44.2 17.7	68.1 43.4 18.2	+ 5.1 + 1.8 - 2.7	68.7 40.2 15.5	65.6 39.4 16.7	+ 4.7 + 2.0 - 7.2	85.6 64.1 28.3	80.6 63.4 25.8	+ 6.2 + 1.1 + 9.7
Certain diseases of early infancy (760-776) Influenza and pneumonia (480-493) Diabetes mellitus (260) Arteriosclerosis (450)	35.4 33.0 18.7 15.9	36.9 24.9 17.8 15.3	- 4.1 +32.5 + 5.1 + 3.9	26.9 30.2 17.7 17.0	27.5 21.3 16.6 16.6	- 2.2 +41.8 + 6.6 + 2.4	77.0 46.4 23.7 10.7	83.7 42.7 23.6 9.2	- 8.1 + 8.7 + 0.4 +16.3
Congenital malformations (750-759) Cirrhosis of the liver (581) Suicide (970-979) Tuberculosis (001-019)	12.0 12.0 10.9 7.2		+ 3.4 +11.1 +14.7 - 1.4	10.8 11.1 12.2 5.3	11.4 10.3 10.3 5.4	- 5.3 + 7.8 +18.4 - 1.9	18.0 16.4 4.4 16.7	12.6 13.6 5.1 16.9	+42.9 +20.6 -13.7 - 1.2
Homicide (980-984) Nephritis and nephrosis (590-594) Syphilis (020-029) Poliomyelitis (080)	6.0 4.7 1.7	5.5 6.0 1.7	+ 9.1	2.4 3.4 0.8	2.3 5.0 1.1		24.0 11.2 6.4	21.1 11.2 4.8	+13.7

<sup>\*</sup>These prelimin ry figures refer to deaths which occurred in Maryland, except that deaths of Washington, D. C. residents in the Glenn Dale Tuberculosis Hospital have been deducted. Rates for specific causes are per 100,000 population; for all causes, per 1,000 population.



		TABLE 3.	DEAT I		INTY F	OR S.L.	CTID C	AUSES,	MARIL	AND, 1	963*				
Area	All causes	Diseases of the heart	lialignant neoplasms	Vascular lesions of central nervous system	Accidents-excl. motor vehicle	Motor vehicle accidents	Influenza and pneumonia	Diabetes mellitus	Arteriosclerosi	Nephritis and nephrosis	Tuberculosis, all forms	Syphilis, all forms	Congenital malformations	Certain diseases of early infancy	Maternal causes
Maryland State Baltimore City Total Counties	30,156 12,142 18,014	12,635 5,226 7,409	4816 1914 2902	2374 863 1511	880 287 593	587 151 436	1093 433 660	620 286 334	527 158 369	156 67 89	240 147 93	57 39 18	398 135 263	1173 430 743	18 7 11
Allegany Anne Arundel Baltimore Calvert Caroline	1,043 1,592 3,509 163 244	539 604 1,533 51 115	150 273 671 26 36	63 103 255 15 23	15 41 75 11	19 44 69 6	40 62 91 4	29 38 77 5	16 31 65 1	4 10 13 1	6 7 12 1 3	2 1 4 - 1	13 30 51 2 4	21 84 123 8 6	1 - 3 1 -
Carroll Cecil Charles Dorchester Frederick	518 546 257 393 790	230 186 92 201 336	87 82 30 51 117	50 36 21 31 97	15 101 19 14 19	12 10 16 7	18 16 8 13	11 8 3 3	9 9 3 3	1 2 5	3 1 1 2	- - - - 1	8 4 7 1 9	10 23 10 20 17	
Carrett  Marford  Howard  Kent  Montgomery	247 610 309 218 2,502	113 252 119 91 947	30 95 39 30 497	10 45 27 20 217	10 20 14 8 63	6 20 8 7 32	9 20 18 11 99	5 8 7 1 26	19 15 4 7 54	1 3 - 2 7	- 4 3 - 13	- 1 - 1 2	2 12 5 1 58	7 39 21 4 90	1
Trince Georges ueen Annes Saint Marys Somerset Talbot	2,006 212 283 285 311	779 84 102 99 127	290 29 25 36 50	165 26 24 39 30	68 5 9 14 4	69 16 14 9 5	83 16 13 14	41 5 6 4	44 2 3 8 11	10 1 2 8	9 2 1 2	1 - - 1 1	32 2 3 2	135 5 32 6 10	1 - 4
washington Wicomico Worcester	1,058 631 287	461 242 106	148 74 36	90 90 34	29 26 9	22 20 6	45 27 9	21 13 4	31 8 8	4 5 4	5 5 5	2 - -	11 4 1	29 28 15	

Includes events which occurred in Maryland only, except for Washington, D. C. residents dying in the Glenn Dale Tuberculosis Hospital. Events which were to a resident of the State have been assigned to the area of residence, but those to an out-of-State resident are assigned to the area of occurrence.



DEATHS FROM ALL CAUSES, AND DEATH RATES BY RACE AND COUNTY, MARYLAND, 1963\*

		ALL DEATHS		[ Per ]	DEATH RAI	RATES Population)
Area	Total	White	Nonwhite	Total	White	Nonwhite
Maryland State Baltimore City Total Counties	30,156 12,142 18,014	24,089 8,263 15,826	6,067 3,879 2,188	9.1	14.5	10.8
Allegany Anne Arundel Baltimore Calvert Caroline	1,043	1,025 1,306 3,358 105 189	18 286 151 58 58	12.00.0	12.4	11,888.0
Carroll Cecil Charles Dorchester Frederick	518 546 257 393 790	495 502 170 269 724	25 44 124 124 66	1.001	1.01	11 14.8
Garrett Harford Howard Kent Montgomery	247 610 309 218 2,502	247 537 264 159 2,312	73 45 59 190	11.4	11.4	10.00
Prince Georges Queen Annes Saint Marys Somerset Talbot	2,006 212 283 285 285 311	1,702 151 200 179 226	304 61 83 106 85	123.0	12.4 1.2.1 1.2.6 1.2.8	84044 20044
Washington Wicomico Worcester	1,058	1,020	133	11.0	12.2	12.5

\* See footnote under Table 3.

1000年の日本の . . . . . . . . . . . . 71 A 1 \*: 

The second secon

TABLE 5. BIRTHS, FETAL DEATHS AND INFANT DEATHS BY RACE AND COUNTY, MARYLAND 1963\*

TABLE ). BIRING		Births	D INFANI		Fetal Deaths**			Infant Deaths (under one year)		
Area	Total	White	Non- white	Total	White	Non- white	Total	White	Non- white	
Maryland State Baltimore City Total Counties	69,003 21,887 47,116	51,965 11,125 40,840	17,038 10,762 6,276	1,128 427 701	707 153 554	421 274 147	1,865 679 1,186	1,181 264 917	684 415 269	
Allegany Anne Arundel Baltimore Calvert Caroline	1,960 5,290 10,478 490 349	1,895 4,488 10,010 217 241	65 802 468 273 108	32 71 124 9 7	32 55 117 4 3	- 16 7 5 4	38 132 194 15	38 101 182 6 9	31 12 9 5	
Carroll Cecil Charles Dorchester Frederick	848 1,343 714 535 1,395	777 1,244 412 293 1,212	71 99 302 242 183	15 15 13 13	12 14 4 4 13	3 1 9 9	16 35 22 26 35	16 29 8 14 26	- 6 14 12 9	
Garrett Harford Howard Kent Montgomery	405 2,326 1,030 354 5,880	405 2,091 910 246 5,321	235 120 108 559	7 41 16 7 81	7 38 13 1 67	- 3 3 6 14	11 59 31 6 165	11 55 27 1	- 4 4 5 31	
Prince Georges Queen Annes Saint Marys Somerset Talbot	7,144 379 1,487 367 480	6,103 249 1,142 189 303	1,041 130 345 178 177	119 5 22 15 8	98 2 16 4 5	21 3 6 11 3	200 7 45 6 16	147 3 25 4 7	53 4 20 2 9	
Washington Wicomico Worcester	1,986 1,306 570	1,914 914 264	72 392 306	31 21 12	30 12 3	1 9 9	51 39 23	47 20 7	4 19 16	

<sup>\*</sup> See footnote under Table 3.

\*\* Fetal deaths are recorded if 20 weeks gestation or longer.

1200 and the same to a second T :. Charles II. . t. 1000 . 7 . 1 ARTON DE . . . ~ e + 

TABLE 6. BIRTH, FETAL DEATH AND INFANT MORTALITY RATES BY RACE AND COUNTY, MARYLAND, 1963"

		rth Rate			Fetal Death Rates (Per 1000 Total Births)			Infant Mortality Rates		
Area	Total	Chite	Mon- white	Total	Prite	Non white	Total	Mite	Non- white	
Maryland State Baltimore City Total Counties	20.8 23.7 19.7	18.9 19.5 13.7	30.3 30.4 30.2	16.1 19.1 14.7	13.4 13.6 13.4	24.1 24.8 22.9	27.0 31.0 25.2	22.7 23.7 22.5	40.1 38.5 42.9	
Allegany Anne Arundel Baltimore Calvert Caroline	23.4 22.9 19.6 27.1 18.6	23.0 22.6 19.4 19.3 15.8	52.5 25.2 26.1 40.0 31.3	16.1 13.2 11.7 18.0 19.7	16.6 12.1 11.6 18.1 12.3	- 19.6 14.7 18.0 35.7	19.4 25.0 18.5 30.6 40.1	20.1 22.5 18.2 27.6 37.3	38.7 25.6 33.0 46.3	
Carroll Cecil Charles Jorchester Frederick	14.9 25.5 19.0 17.8 17.7	14.2 25.1 16.2 13.4 16.4	30.1 32.3 24.9 29.9 37.3	17.4 11.0 17.9 23.7 12.0	15.2 11.1 9.6 13.5 10.6	40.5 10.0 28.9 35.9 21.4	18.9 26.1 30.8 48.6 25.1	20.6 23.3 19.4 47.8 21.5	60.6 46.4 49.6 49.2	
Carrett Marford Joward Kent Montgomery	18.6 23.0 25.4 22.0 15.1	18.7 27.8 25.0 20.3 14.2	- 30.2 28.3 27.4 36.4	17.0 17.3 15.3 19.4 13.6	17.0 17.8 14.1 4.0 12.4	- 12.6 24.4 52.6 24.4	27.2 25.4 30.1 16.9 28.1	27.2 26.3 29.7 4.1 25.2	17.0 33.3 46.3 55.5	
Prince Georges Queen Annes Saint Marys Somerset Talbot	17.0 23.9 36.1 17.7 20.0	15.8 21.6 34.2 14.4 17.1	29.2 30.2 43.8 23.2 28.0	16.4 13.0 14.6 39.3 16.4	15.8 8.0 13.8 20.7 16.2	19.8 22.6 17.1 58.2 16.7	28.0 18.5 30.3 16.3 33.3	24.1 12.0 21.9 21.2 23.1	50.9 30.8 58.0 11.2 50.8	
Mashington Wicomico Worcester	20.7 24.9 22.7	20.6 22.5 15.5	23.8 33.1 38.0	15.4 15.8 20.6	15.4 13.0 11.2	13.7 22.4 28.6	25.7 29.9 40.4	24.6 21.9 26.5	55.6 43.5 52.3	



RECORDED\* BIRTHS BY RACE AND COUNTY, 1963 TABLE 7.

Nonwhite	17,057	63 516 6 283 6	25 94 239 221 185	235 235 160 612	1,044	75 637 137
White	51,946 24,235 27,711	1,939 2,539 1,69	565 1,021 273 264 1,272	2,005 2,005 4 367 6,708	1,157	1,966
Total	69,003 35,962 33,041	2,002	590 1,115 512 485 1,457	372 2,240 6 527 7,320	6,030	2,041
Area	Maryland State Baltimore City Total Counties	Allegany Anne Arundel Baltimore Calvert Caroline	Carroll Cecil Charles Dorchester Frederick	Garrett Harford Howard Kent Montgomery	Prince Georges Queen Annes Saint Marys Somerset Talbot	Washington Wicomico Worrester

<sup>\*</sup>Births are shown in the area in which they occurred.

- -. . .

TABLE 8.
MARYLAND ESTIMATED POPULATION, BY RACE AND COUNTY, JULY 1, 1963

MARIDAND ESTIMATED TO	toroughton, or the		
V	E	4	o + i dn o N
Area	TOTAL	MULCO	201111111111111111111111111111111111111
Maryland State	3,315,673	2,753,684	561,989
Baltimore City	925,000	571,000	354,000
Total Counties	2,390,673	2,182,684	207,989
Allegany	83,743	82,505	1,238
Anne Arundel	230,745	198,913	31,832
Baltimore	535,237	517,305	17,932
Calvert	18,087	11,261	6,826
Caroline	18,723	15,273	3,450
Carroll	56,905	54,550	2,355
Cecil	52,681	49,618	3,063
Charles	37,588	25,477	12,111
Dorchester	30,014	21,910	8,104
Frederick	78,989	74,086	4,903
Garrett	21,733	21,685	7,776
Harford	83,065	75,289	7,776
Howard	40,630	36,386	4,244
Kent	16,085	12,138	3,947
Montgomery	389,677	374,318	15,359
Prince Georges	421,227	385,530	35,697
Queen Annes	15,838	11,531	4,307
Saint Marys	41,240	33,356	7,884
Somerset	20,781	13,123	7,658
Talbot	24,017	17,698	6,319
Washington	96,074	93,045	3,029
Wicomico	52,512	40,663	
Worcester	25,082	17,024	

in. The state of the second of the

180			
		1111	

